

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** #1150 Violet

Other means of identification None.

Recommended use Coding & Marking **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Universal Stenciling & Marking Systems, Inc. Company name

205 15th Avenue S.E. **Address** 

Saint Petersburg, FL 33705

Telephone (727) 894-3027 **Contact person Customer Service** 

**Emergency phone number** INFOTRAC: 1-800-535-5053 (North America)

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Acute toxicity, oral Category 4

> Specific target organ toxicity, repeated Category 2 (kidney)

exposure (oral)

**OSHA** defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Harmful if swallowed. May cause damage to organs (kidney) through prolonged or repeated

exposure by ingestion.

**Precautionary statement** 

Prevention Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product.

If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. Get medical Response

advice/attention if you feel unwell.

Store away from incompatible materials. **Storage** 

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Diethylene glycol	111-46-6	94-97

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in **Composition comments** percent by volume. Components not listed are either non-hazardous or are below reportable limits.

#1150 Violet Ink SDS US 1/7 908081 Version #: 01 Revision date: -Issue date: 05-December-2018

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important

**General information** 

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

During fire, gases hazardous to health may be formed. Carbon oxides.

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** Will burn if involved in a fire. Heat may cause the containers to explode.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

# **Environmental precautions**

7. Handling and storage Precautions for safe handling

Avoid forming spray/aerosol mists. Do not breathe mist or vapor. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke, Wash hands thoroughly after handling. Wear appropriate personal

protective equipment. Observe good industrial hygiene practices.

Avoid discharge into drains, water courses or onto the ground.

Conditions for safe storage, including any incompatibilities

Store in a closed container away from incompatible materials. Store between 35°F (2°C) and 120°F (49°C). Store away from incompatible materials (see Section 10 of the SDS).

#1150 Violet Ink SDS US

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Components Value Type Diethylene glycol (CAS **TWA** 10 ma/m3

111-46-6)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Skin protection

Wear approved safety goggles. Wear face shield if there is risk of splashes.

Hand protection

Respiratory protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Skin protection

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Minimise inhalation of aerosols/mists: In case of inadequate ventilation use suitable respirator.

Chemical respirator with organic vapor cartridge and full facepiece. Seek advice from local

supervisor.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Liquid. **Physical state Form** Liquid. Various. Color Characteristic. Odor **Odor threshold** Not available. 7 (20°C/68°F) pН Melting point/freezing point Not available.

Initial boiling point and boiling range

473 °F (245 °C)

Flash point 294.8 °F (146.0 °C)

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

0.7 % v/v

Flammability limit - upper

22 % v/v

(%)

Vapor pressure 0 hPa (20°C/68°F) Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Completely miscible with water.

Partition coefficient

**Auto-ignition temperature** 

Not available.

(n-octanol/water)

Not applicable.

#1150 Violet Ink SDS US **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 1.13 g/cm³ (20°C/68°F)

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

-----

reactions
Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases. Alkali metals. Halogenated compounds.

Hazardous decomposition Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

products

# 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contactProlonged skin contact may cause temporary irritation.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure by

ingestion.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components Species Test Results

Diethylene glycol (CAS 111-46-6)

Acute Dermal

LD50 Rabbit 11890 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

#### NTP Report on Carcinogens

Not listed.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - Not classified.

single exposure

#1150 Violet Ink SDS US

Specific target organ toxicity -

repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure by ingestion.

**Aspiration hazard** Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure.

12. Ecological information

**Ecotoxicity**The product components are not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential**No data available on bioaccumulation.

Mobility in soil This product is water soluble and may disperse in soil.

Other adverse effects None known.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

product residues. This material and its container must be disposed of in a safe manner (see

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Toxic Substances Control

not (100h)

Act (TSCA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

#1150 Violet Ink SDS US

All components of the mixture on the TSCA 8(b) inventory are designated "active".

Classified hazard Acute toxicity (any route of exposure)

categories Specific target organ toxicity (single or repeated exposure)

#### SARA 313 (TRI reporting)

Not regulated.

# Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### US state regulations

## **US. Massachusetts RTK - Substance List**

Not regulated.

#### US. New Jersey Worker and Community Right-to-Know Act

Not listed.

## US. Pennsylvania Worker and Community Right-to-Know Law

Diethylene glycol (CAS 111-46-6)

#### **US. Rhode Island RTK**

Diethylene glycol (CAS 111-46-6)

## **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

**Issue date** 05-December-2018

Revision date - 01

United States & Puerto Rico

HMIS® ratings Health: 2\*

Flammability: 1 Physical hazard: 0

NFPA ratings



#1150 Violet Ink SDS US

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## Disclaimer

Universal Stenciling & Marking Systems, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

#1150 Violet Ink SDS US